

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use:				
Effective Date:				
District #				
SGA?	Yes No			

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

1282350

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R
DPERATOR: License#	(Q/Q/Q/Q) feet from N / S Line of Section
Name:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
hone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):Projected Total Depth:
Well Name: Original Total Depth:	Frojected Total Depth:
Original Completion Date: Original Total Depth:	Water Source for Drilling Operations:
pirectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
	, p
ΔFF	
	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT
The undersigned hereby affirms that the drilling, completion and eventual plu t is agreed that the following minimum requirements will be met:	DAVIT
he undersigned hereby affirms that the drilling, completion and eventual plu	DAVIT ging of this well will comply with K.S.A. 55 et. seq.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> the set of the state of the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as surface pipe as surface pipe as specified below <i>shall be set</i> the surface pipe as surface pipe as surface pipe as specified below <i>shall be set</i> the surface pipe as specified below <i>shall be set</i> the surface pipe as surface pipe as specified below <i>shall be set</i> the surface pipe as surface pipe	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation.
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the districtions are the content of the c	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1.	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be	payth ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1: must be completed within 30 days of the spud date or the well shall be	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY API # 15 -	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be Ibmitted Electronically For KCC Use ONLY API # 15	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be **Jubmitted Electronically** For KCC Use ONLY API # 15	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plut is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be 1. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugg. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #1. The minimum surface of the well shall be represented by the production pipe required feet per ALT. In the plugger into the same provided into the production and the district office will be notified before well is either plugger. Approved by: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the appropriate district office provided by a minimum of 20 feet into the district office will be notified before well is either plugger. 3. The minimum and the provided by a minimum of 20 feet into the district office provided by a minimum of 20 feet into the district office will be notifie	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
he undersigned hereby affirms that the drilling, completion and eventual plu is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be ### IDMITTED COMPLETION #### IDMITTED COMPLETION ##### IDMITTED COMPLETION ###### IDMITTED COMPLETION ###### IDMITTED COMPLETION ######### IDMITTED COMPLETION ###################################	DAVIT ging of this well will comply with K.S.A. 55 et. seq. drilling rig; y circulating cement to the top; in all cases surface pipe shall be set underlying formation. ct office on plug length and placement is necessary prior to plugging; d or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 3,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry;



SEWARD CO. 3390' FEL

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:		Location of Well: County:
Lease:		feet from N / S Line of Section
Well Numl	ber:	feet from E / W Line of Section
Field:		SecTwpS. R 🗌 E 🔲 W
	of Acres attributable to well:	Is Section: Regular or Irregular
		If Section is Irregular, locate well from nearest corner boundary.
		Section corner used: NE NW SE SW
	Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as re	PLAT It lease or unit boundary line. Show the predicted locations of required by the Kansas Surface Owner Notice Act (House Bill 2032). Separate plat if desired.
		LEGEND
930 ft.		O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
		EXAMPLE : :
	10	
		1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.



Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) Is the pit located in a Sensitive Ground Water A	g Pit If Existing, date constructed: Off Pit Pit capacity: (bbls)		SecTwpR East West West Feet from North / South Line of Section Feet from East / West Line of Section County Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No			How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):Length (fee				
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining scluding any special monitoring.	
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. nation:	
feet Depth of water wellfeet		measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY: Producing Formation: Number of producing wells on lease: Barrels of fluid produced daily:		Type of materia	ver and Haul-Off Pits ONLY: Il utilized in drilling/workover: king pits to be utilized: procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	



1282350

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT


This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1	1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:			
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	3		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:			
City: State: Zip:+			
the KCC with a plat showing the predicted locations of lease roads, ta are preliminary non-binding estimates. The locations may be entered Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice owner(s) of the land upon which the subject well is or will be CP-1 that I am filing in connection with this form; 2) if the form	nodic Protection Borehole Intent), you must supply the surface owners and ank batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface elocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form to being filed is a Form C-1 or Form CB-1, the plat(s) required by this		
KCC will be required to send this information to the surface of	acknowledge that, because I have not provided this information, the owner(s). To mitigate the additional cost of the KCC performing this ss of the surface owner by filling out the top section of this form and		
If choosing the second option, submit payment of the \$30.00 handlin form and the associated Form C-1, Form CB-1, Form T-1, or Form Cl	ng fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.		
Submitted Electronically			
r			

Proposed Plan of Construction MML 1-10 Sec 10 T31S-R33W

Sec 10 1318-R33W Seward County, KS



Sec 10 - T31S - R33W



Proposed Details of NW/4 Sec 10 – T31S – R33W

> Proposed Site Diagram MML 1-10 February 8th, 2016



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Sam Brownback, Governor

Jay Scott Emler, Chairman Shari Feist Albrecht, Commissioner Pat Apple, Commissioner

February 09, 2016

IDANIA MEDINA Merit Energy Company, LLC 13727 NOEL RD STE 1200 DALLAS, TX 75240

Re: Drilling Pit Application MML 1-10 NW/4 Sec.10-31S-33W Seward County, Kansas

Dear IDANIA MEDINA:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit within 96 hours of completion of drilling operations.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 225-8888 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 225-8888.